## OU Math Day 2008

## Higher Algebra Test

1. What are the solutions of the equation  $2x^2 + 20x + 42 = 0$ ?

(A) x = 3 and x = 7

(B) x = -1 and x = -2

(C) x = -3 and x = -7

(D) x = -4 and x = 6

(E) None of the above

2. There are 32 different combinations of how five voters can vote either YES or NO on an issue. In how many of these combinations are there either 3 YES and 2 NO votes or 2 YES and 3 NO votes?

(A) 6

(B) 10

(C) 20

(D) 26

(E) None of the above

3. What is the smallest positive integer n for which  $2n^2 + 1$  is larger than 2008?

(A) 31

(B) 32

(C) 44

(D) 45

(E) None of the above

4. The expansion of  $(x+1)^4$  is

(A)  $x^4 + 1$ 

(B)  $x^4 + 4x^3 + 4x^2 + x + 1$ 

(C)  $x^4 + x^3 + x^2 + x + 1$ 

(D)  $x^4 + 4x^3 + 6x^2 + 4x + 1$ 

(E) None of the above

5. How many distinct real number solutions does the equation

$$(x^2 + 4x + 1)(x^2 + 3x + 1)(x^2 + 2x + 1)(x^2 + x + 1)(x^2 + 1) = 0$$

have?

(A) 10

(B) 8

(C) 6

(D) 5

(E) None of the above

	mad	made a C, and no student had a grade lower than C. How many students are in the class?							
	(A)	7	(B) 9	(C	) 11	(D)	15	(E) None of the above	
7. If $f(x) = x^2 - 7$ then what does $f(f(f(f(f(3)))))$ equal?									
	(A)	-3	(B) 3	(C) 18	53020188	8851834	(D)	2 (E) None of the above	
8.	Whi	ch of the	e following	is the fra	actional f	form of th	ie repeat	ting decimal $.00\overline{3}$ ?	
	(A)	1/3	(B) 1/3	0 (C	2) 1/300	(D)	1/3000	(E) None of the above	
9.	0. Let $f(x) = 9x^7 + 3x^5 - 6$ . Which of the following is a solution of $f(x) = 0$ ?								
	(A)	x = -1	(B) x	= 1/3	(C) x	= 2/3	(D) x	= 9 (E) None of the above	)
10. What number is halfway between 1/4 and 1/3 on the number line?									
_	(A)	1/7	(B) 2/7	7 (0	C) 7/24	(D)	3/10	(E) None of the above	

6. On a math test all but 5 students made an A, all but 6 students made a B, all but 7 students

11. During the first nine days in a stretch of ten consecutive days the Oklahoma daily high temperatures were

77, 85, 84, 79, 80, 91, 92, 96, and 76.

If the average of all ten daily high temperatures was 84.5, what was high temperature on the tenth day?

(A) 85

(B) 83

(C) 90

(D) 84

(E) None of the above

- 12. If the cube root of A-5 equals -2 then what is A?
  - (A) 9
- (B) -2
- (C) -3
- (D) -13
- (E) None of the above
- 13. How many solutions (x, y, z) does the system of equations  $\{x^2 = yz, y^2 = xz, z^2 = xy\}$  have?
  - (A) 0
- (B) 1
- (C) 3
- (D) 5
- (E) None of the above

- 14. Which of these numbers is smallest?
  - (A) .000001
- (B) 2/3
- (C)  $(2/3)^{100}$
- (D)  $(2/3)^{-100}$
- (E) 1/33
- 15. Factor  $18x^2 9x 20$  into the form (Ax + B)(Cx + D). What is the value of A + B + C + D?
  - (A) 0
- (B) 4
- (C) 6
- (D) 10
- (E) None of the above
- 16. If x = 2.999 then what whole number is nearest to the value of  $\frac{2x^2 9x + 9}{x 3}$ ?
  - (A) 0
- (B) 3
- (C) 6
- (D) 9
- (E) None of the above
- 17. Find the sum of all of the integer solutions of the inequality |5-3x| < 10.
  - (A) 0
- (B) 7
- (C) 9
- (D) 13
- (E) None of the above

- 18. The sum of four consecutive integers equals 194, what is the largest of the four integers?
  - (A) 43
- (B) 47
- (C) 50
- (D) 54
- (E) None of the above
- 19. Let  $x = 4 + \sqrt{3}$  be a zero of the polynomial function  $f(x) = x^2 + ax + b$  where a and b are integers. Then a + b equals
  - (A) 2
- (B) 3
- (C) 4
- (D) 5
- (E) None of the above
- 20. The two circles  $(x+5)^2 + y^2 = 36$  and  $(x+2)^2 + y^2 = 9$ 
  - (A) do not intersect (B) intersect in exactly one point (C) intersect in exactly two points (D) intersect in more than two points (E) None of the above
- 21. Given that  $x + \frac{1}{x} = 10$ , what is the square of  $x \frac{1}{x}$ ?
  - (A) 96
- (B) 1/10
- (C) 25
- (D) 0
- (E) None of the above
- 22. Let  $\ell_1$  be the line which passes through the points (-2, -4) and (4, 14). Let  $\ell_2$  be the line through the point (1, -1) with slope m = -5. The lines  $\ell_1$  and  $\ell_2$  intersect at the point
  - (A) (5/16, 1/16)
- (B) (35/16, -1/16)
- (C) (1/16, 35/16)

(D) (-1/16, 35/16)

(E) None of the above

23. What is the remainder when the sum of the squares of the integers from 1 to 2008

$$1^2 + 2^2 + 3^2 + \dots + 2007^2 + 2008^2$$

is divided by 5?

- (A) 0
- (B) 1
- (C) 2
- (D) 3
- (E) 4